



KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

THCP

Sample ID: SA-230523-21917 Batch: 2.5.23 Type: In-Process Material

Matrix: Concentrate - Distillate

Unit Mass (g):

Received: 05/23/2023 Completed: 05/26/2023

Client

Colorado Chromatography 1050 S Progress Way, Unit 105 Parker, CO 80134 USA



1 of 1



Summary

Test Cannabinoids

Date Tested 05/26/2023

Status Tested

ND Total Δ9-THC

81.0 % Δ9-ΤΗСΡ 85.2 %

Total Cannabinoids

Not Tested

Moisture Content

Not Tested

Foreign Matter

Yes

Internal Standard Normalization

Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDP	0.0067	0.02	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	ND	ND
CBN	0.0056	0.0169	ND	ND
CBT	0.018	0.054	ND	ND
Δ8-ΤΗС	0.0104	0.0312	ND	ND
Δ8-ΤΗСΡ	0.0067	0.02	4.15	41.5
Δ9-ΤΗС	0.0076	0.0227	ND	ND
Δ9-ΤΗСΡ	0.0067	0.02	81.0	810
Δ9-THCV	0.0069	0.0206	ND	ND
Total Δ9-THC			ND	ND
Total			85.2	852

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THCA * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO

Date: 05/26/2023

Tested By: Scott Caudill Senior Scientist Date: 05/26/2023



Accreditation #108651





This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories and provide measurement uncertainty upon request.